Date of issue : 30 September, 2003 Date of revision : 16 June, 2010

Safety Data Sheet

1. Product and company identification

Product name : n-Butyl n-butyrate

Name of manufacturer : KANTO CHEMICAL CO., INC.

Address : 2-1, Nihonbashi, Muromachi 2-Chome, Chuo-Ku, Tokyo, 103-0022, Japan

Name of section : Reagent division, catalog and products information section

Telephone number : +81-3-6214-1090Facsimile number : +81-3-3241-1047Mail address : BC32@gms, kanto, co. ip

SDS No. : 04379

2. Summary of danger and Hazard

GHS classification

Physical and chemical hazard

Flammable liquids : Category 3

Pyrophoric liquids : Out of category

Pictogram or symbol

Signal word : Warning

Hazard statement : Flammable liquid and vapor

Cautions

Safety measurements : Keep away from ignition sources such as heat, sparks, or open flame.

Keep containers tightly closed.

Ground container and receiving equipment in case of transport and

stirring.

Use explosion-proof apparatus. Use only non-sparking tools.

Wear appropriate protective gloves, glasses, clothing, face shield, or

mask.

First-aid measures : If on skin : Remove contaminated clothing and the substance. Wash with

plenty of water.

Storage : Store in a cool and well-ventilated area.

Disposal : Dispose of contents and containers appropriately in accordance with

related regulations.

3. Composition/Information on ingredients

Substance/Mixture : Substance

Chemical name or commercial name

: n-Butyl n-butyrate

Ingredients and composition

: n-Butyl n-butyrate min. 98.0%

Chemical formula : CH3CH2CH2COOCH2 (CH2) 2CH3

 $\langle\langle$ No.04379 n-Butyl n-butyrate $\rangle\rangle$ P.2 / 5

Date of issue : 30 September, 2003 Date of revision : 16 June, 2010

CAS No. : 109-21-7
TSCA Inventory : Registered
EINECS No. : 2036568
Dangerous and hazardous ingredients

: n-Butyl n-butyrate

4. First aid measures

Inhalation : Remove the victim to fresh air, and make him blow his nose and gargle.

Skin contact : Wash the affected areas under running water.

Eye contact : Wash the affected areas under running water for at least 15 minutes.

If necessary, get medical treatment.

Ingestion : Give the victim water or salt water and make him vomit. Get medical

attention.

Protection for first aid person

: Savers wear proper protective equipment like rubber gloves, goggles.

5. Fire fighting measures

Extinguishing media : Dry chemical powder, carbon dioxide, dry sand, foam

Prohibited extinguishing media

: Water spray

Particular fire fighting: Move containers from fire area if it can be done without risk, if not

possible, apply water from a safe distance to cool and protect

surrounding area.

Dry chemical powder, carbon dioxide or dry sand should be used for small fires. Foam extinguisher is effective for a large scale fire.

Protection for firefighters

: Wear breathing apparatus.

6. Accidental release measures

Cautions for personnel : Wear proper equipment and avoid contact with skin and inhalation of

vapor. Keep personnel removed from and upwind of fire. Shut off all sources of ignition. Keep away personnel except for authorized ones

from spillage area by stretching ropes.

Cautions for environment : Attention should be given not to cause damage to the environment by

flowing of spillage to rivers. In case of the dilution of copious water, do not cause damage to the environment by untreated wastewater.

Removal measure : Absorb spill with inert material (e.g., diatomaceous earth, sand) and

flush residual area with copious amounts of water.

Prevention of second accident

: Remove nearby sources of ignition and prepare extinguishing media.

7. Cautions of handling and storage

Handling

Engineering measures : Wear proper equipment not to contact with skin or inhale the vapor.

Fire is strictly prohibited.

Ventilate well at working places.

Cautions for safety handling

: Use with an enclosed system or a local exhaust ventilation.



Date of issue : 30 September, 2003 Date of revision : 16 June, 2010

Cautions : Do not contact with oxidizing substances.

Storage

Adequate storage condition

: Store in a dark, cool place and tightly closed.

Safety adequate container materials

: Glass, fluorine resin, stainless steel

Do not use vinyl chloride resign, acrylic resign, polystyrene etc.

8. Exposure control/Personal protection

Engineering measures : Use only with adequate ventilation and in closed systems.

Control parameters

ACGIH(2009) : Not established

Protective equipment

Respiration protective equipment

: If necessary, wear chemical cartridge respirator with an organic vapor

cartage

Hands protective equipment

: Impervious protective gloves

Eyes protective equipment

: Safety goggles

Skin and body protective equipment

: Protective clothing, protective boots

9. Physical and chemical properties

Appearance : Liquid Color : Colorless

Odor : Fruit like odor

Boiling point : 165° C

Melting point : -91.5° C

Flash point : 53.3° C

Auto-ignition point : 454° C

Explosion characteristics

Explosion limit : upper : Not available lower : Not available

Vapor density : 5.0

Specific gravity : $0.87g/ml(20^{\circ}C)$

Solubility

Solubility in solvents : Water ; $0.05\%(20^{\circ}\text{C})$

Organic solvents ; Soluble in ethanol

10. Stability and reactivity

Stability : Stable under normal usage.

Reactivity : May react with oxidizing substances.

Incompatible conditions : Light, heat

Incompatible materials : Oxidizing substances

Date of issue : 30 September, 2003 Date of revision : 16 June, 2010

Hazardous decomposition products

: Carbon monoxide

11. Toxicological information

Acute toxicity : Oral : Not possible to classify because of insufficient data.

Dermal: Not possible to classify because of insufficient data.

Inhalation(vapor) : Not possible to classify because of insufficient

data.

Inhalation(dust, mist) : Not possible to classify because of

insufficient data.

rabbit oral LD50=9520mg/kg(RTECS(2006)) rabbit skin LD50=5000mg/kg(RTECS(2006))

Skin corrosiveness : Not possible to classify because of insufficient data.

Irritation to skin, eyes : Not possible to classify because of insufficient data.

Respiratory sensitization or Skin sensitization

: Respiratory sensitization : Not possible to classify because of

insufficient data.

Skin sensitization: Not possible to classify because of insufficient

data.

Mutagenicity : Not possible to classify because of insufficient data.

Carcinogenic effects : Not possible to classify because of insufficient data

Effects on the reproductive system

: Not possible to classify because of insufficient data.

Specific target organ systemic toxicity single exposure

: Not possible to classify because of insufficient data.

If inhaled vapor, cause irritation of nose and throat, headache, dizziness, nausea. However, classification is not possible in the

absence of data on the severity of the effects.

Specific target organ systemic toxicity repeated exposure

: Not possible to classify because of insufficient data.

Aspiration hazard : Not possible to classify because of insufficient data.

12. Ecological information

Ecotoxicity

Fish toxicity : Acute aquatic toxicity: Not possible to classify because of

insufficient data.

Chronic aquatic toxicity: Not possible to classify because of

insufficient data.

Rediualbility and degradability

: Not available

Ecorediualbility : Not available

13. Disposal consideration

Residual disposal : Burn in a chemical incinerator equipped with an afterburner and a

scrubber. Or entrust approved waste disposal companies with the

disposal.

 $\langle\langle$ No.04379 n-Butyl n-butyrate $\rangle\rangle$ P.5 / 5

Date of issue : 30 September, 2003 Date of revision : 16 June, 2010

Containers : In case of disposal of empty bottles, dispose bottles after removing

the content thoroughly.

14. Transport information

UN class : Class 3(Flammable liquids) P. G. Ⅲ

UN number : 1993
Marine regulation information
UN No. : 1993

Proper shipping name : FLAMMABLE LIQUID, N. O. S.

Class : 3
Sub risk : Packing group : Ⅲ

Marine pollutant : Not applicable

Aviation regulation information UN No. : 1993

Proper shipping name : Flammable liquid, n.o.s.

 Class
 : 3

 Sub risk
 :

 Packing group
 : III

15. Regulatory information

Ensure this material in compliance with federal requirements and

ensure conformity to local regulations.

16. Other information

References Dictionary of Organic Compounds, The society of Synthetic Organic

Chemistry, Kodansha Ltd. (1985)

Dangerous Properties of Industrial Materials, 6th ed. N. I. Sax Van

Nostrand Reinhold Company (1984)

Handbook of Dangerous Substances Springer-Verlag Tokyo(1991)

Handbook of 15710 Chemical Products, The Chemical Daily Co. (2010)

The information contained herein is based on several references and the present state of our knowledge. However the SDS does not always cover all information about the product, handle the product carefully. The information is intended to ordinary usage, in case of particular handlings, conduct appropriate safety measurements. The information herein is only provision of information, and it does not represent a guarantee the properties of the product. The Safety Data Sheet (SDS) is prepared based on JIS Z7253, and it has the same required elements on the Material Safety Data Sheet (MSDS) which is prepared based on JIS Z7250:2010.